

EXHIBIT 5

Related Sequences. OMIM, Protein, PubMed, Taxonomy, LinkOut

TITLE Chaee,S.S. and Wu,M.T.
 Shingosine-1-phosphate signaling via the EDG-1 family of
 G-protein-coupled receptors
 JOURNAL Am. N. Y. Acad. Sci. 905, 16-24 (2000)
 MEDLINE 20278379

NCBI Sequence Viewer

PUBMED 10818438
 REFERENCE 6 (bases 1 to 1137)
 AUTHORS Hammel, H.M., Meyer Zu Heringdorf, D., Graf, E., Dobrev, D.,
 Kortner, A., Schuler, S., Jakobs, K.H. and Ravens, U.
 TITLE Evidence for Edg-3 receptor-mediated activation of I(K.ACh) by
 sphingosine-1-phosphate in human atrial cardiomyocytes
 JOURNAL Mol. Pharmacol. 58 (2), 449-454 (2000)
 MEDLINE 20368609
 PUBMED 10908314
 COMMENT REVIEWED REFSEQ: This record has been curated by NCBI staff. The
 reference sequence was derived from X83864.1.
 Summary: This gene encodes a member of the family I of the G
 protein-coupled receptors, as well as the EDG family of proteins.
 This protein has been identified as a functional receptor for
 sphingosine 1-phosphate and likely contributes to the regulation of
 angiogenesis and vascular endothelial cell function.

FEATURES

source Location/Qualifiers
 1..1137
 /organism="Homo sapiens"
 /db_xref="taxon:9606"
 /chromosome="9"
 /map="9q22.1-q22.2"

gene
 1..1137
 /gene="EDG3"
 /note="EDG-3"
 /db_xref="LocusID:1903"
 /db_xref="MIM:601965"

CDS
 1..1137
 /gene="EDG3"
 /note="G protein-coupled receptor, endothelial
 differentiation gene-3; lysosphingolipid receptor 3;
 sphingosine 1-phosphate receptor EDG3; S1P receptor EDG3"
 /codon_start=1
 /db_xref="LocusID:1903"
 /db_xref="MIM:601965"
 /product="endothelial differentiation, sphingolipid
 G-protein-coupled receptor, 3"
 /protein_id="NP_005217.1"
 /db_xref="GI:4885195"
 /translation="MATALPPRLQPVGRNETLREHYQYVGKLAGRLKEASEGSTLT
 TTVLFLVICSFIVLENLMVLIAIWKNKFNRMVFFIGNLALCDLLAGIAYKVNILMSGKK
 TFSLSPTVWFLREGSMFVALGASTCSLLAIAIERHLMIKMRPYDANKRHRVFLIGM
 CWLIAFTLGALPILGWNCLHNLPDCSTILPLYSKKYIAFCISIFTAILVTIVILYARI
 YFLVKSSSRKQVANHNNSERSMALLRTVVIVVSVFIACWSPLFILFLIDVACRVQACPI
 LFKAQWFIVLAVLNSAMNPVIYTLASKEMRRAFRLVCNCLVRGRGARASPIQPALDP
 SRSKSSSSNNSSHSPKVKEDLPHTDPSSCIMDKNAALQNGIFCN"

misc feature
 166..720
 /note="7tm_1; Region: 7 transmembrane receptor (rhodopsin
 family)"

misc feature
 697..894
 /note="7tm_1; Region: 7 transmembrane receptor (rhodopsin
 family)"

BASE COUNT 226 a 362 c 298 g 251 t
 ORIGIN
 1 atgccaactg cctctccgcc gcgtctccag ccggtgcggg ggaacgagac cctgcgggag
 61 cataccagt acgtggggaa gttggcgggc aggcctgaagg aggcctccga gggcagcaag
 121 ctccaccg tgctcttctt ggctcatctg agcttcatcg tcttggagaa cctgatggtt
 181 ttgattgcca tctggaaaaa caataaattt cacaaccgca tgtacttttt cattggcaac
 241 ctgctctct gcgacctgct ggccggcatc gcttacaagg tcaacattct gatgtctggc
 301 aagaagacgt tcagcctgtc tccacaggtc tggttcctca gggagggcag tatgttcgtg

361 gcccttgggg cgtccacctg cagottactg gccatcgcca tcgagcggca cttgacaatg
 421 atc~~aaatga~~ ggccttacga cgc~~ca~~acaag aggcaccgcg tcttcctcct gatcgggatg
 481 tgc~~ggctca~~ ttgccttcac gctggggccc ctgcccattc tgggctggaa ctgcctgcac
 541 aatc~~tcacctg~~ actgctctac catcctgccc ctctactcca agaagtacat tgccttctgc
 601 atc~~agcatct~~ tcacggccat cctggtgacc atcgtgaccc tctacgcacg catctacttc
 661 ctg~~gtgaagt~~ ccagcagccg taagggtggc aaccacaaca actcggagcg gtccatggca
 721 ctg~~gtgcgga~~ ccgtgggtgat tgtgggtgagc gtgttcacog cctgctggtc cccactcttc
 781 atc~~ctcttcc~~ tcattgatgt ggcttcaggg gtgcaggcgt gcccacacct cttcaaggct
 841 cag~~gggtca~~ tctgtgtggc tgtgctcaac tcgccatga acccggtcat ctacacgctg
 901 gcc~~gcaagg~~ agatgcggcg ggcttctctc cgtctggtct goaactgcct ggtcagggga
 961 cgg~~ggggccc~~ gcgcctcacc catccagcct gcgctcgacc caagcagaag taaatcaagc
 1021 agc~~gcaaca~~ atagcagcca ctgtccgaag gtcaagggaag acctgcccc caccagacccc
 1081 tca~~cctgca~~ tcattggacaa ~~gaacgcagca~~ cttcagaatg ggatcttctg caactga

//

Goetzl EDG-3
 primer 2 in an
 antisense orientation

Revised: October 24, 2001.

Disclaimer | Write to the Help Desk
 NCBI | NLM | NIH